EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("6473727" "5784382" "5467358" "5224101").pn.	USPAT	OR	OFF	2006/10/30 09:53
S2	50	(US-20050015778-$ or US-20020092002-$).did. or (US-6185629-$ or US-6058473-$ or US-6115131-$ or US-6397379-$ or US-4439830-$ or US-5210870-$ or US-5530883-$ or US-5537622-$ or US-5537604-$ or US-5537603-$ or US-5548769-$ or US-5590362-$ or US-5619713-$ or US-6405111-$ or US-5269017-$ or US-5945986-$ or US-4347565-$ or US-5694348-$ or US-5905881-$ or US-6016538-$ or US-6032170-$ or US-6067613-$ or US-6098163-$ or US-6116768-$ or US-6173305-$ or US-6240437-$).did. or (US-6442663-$ or US-4253145-$ or US-4494189-$ or US-4521846-$ or US-4774659-$ or US-4967342-$ or US-5280592-$ or US-5325520-$ or US-5339417-$ or US-5459872-$ or US-5574936-$ or US-5577231-$ or US-5794256-$ or US-5819063-$ or US-5949985-$ or US-6038631-$ or US-6105041-$ or US-6125443-$ or US-6247144-$ or US-6798713-$ or US-7065750-$ or US-6154826-$).did.	US-PGPUB; USPAT	OR	OFF	2006/10/30 08:43
S3	201	maintenance adj bus and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 09:54
S4	1403	configuration near3 status near3 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 10:52
S5	8	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:03

EAST Search History

S6	6129	(configuration near3 status near3 register) csr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:03
S7	12	S6 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:04
S8	6020	service adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:04
S9	70	S8 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:04
S10	4	S9 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:04
S11	3243	(control configuration) adj status adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:12
S12	20	(((control configuration) adj status adj register) csr) same (service adj processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 10:58
S13	15841	((control configuration) adj status adj register) control adj word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:13

EAST Search History

S14	710	(((control configuration) adj status adj register) control adj word) with (validat$4 test$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:13
S16	8	(((control configuration) adj status adj register) control adj word) with (validat$4 test$4) same (language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:14
S17	14	(((control configuration) adj status adj register) control adj word) with (validat$4 test$4) same (language model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:20
S18	49	(((control configuration) adj status adj register) control adj word) same (validat$4 test$4) same (language model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:02
S19	31	(test$4 validat$4) with (hardware component) and (hardware adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:33
S20	6	(test$4 validat$4) with (hardware component) and (hardware adj language) and ((control configuration) with status with register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:37
S21	1709	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:37
S22	1	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and abstract adj language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:38

EAST Search History

S23	1	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and abstract near3 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:37
S24	208	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:12
S25	1	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language with abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:38
S26	5	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language with abstract$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:38
S27	87	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language and function with call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:13
S28	1	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language and function with call with specific	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:14
S29	9	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language and function with call with hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:14
S30	9	(test$4 validat$4) with (hardware component)and ((control configuration) with status with register) and hardware with language and function with call$4 with hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:34

EAST Search History

S31	696	(test$4 validat$4) with ((control configuration) with status with register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:35
S32	157	(test$4 validat$4) near5 ((control configuration) with status with register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:35
S33	47	(test$4 validat$4) near5 ((control configuration) with status with register) and hardware with (transaction manipulat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:36
S35	1	(test$4 validat$4) near5 ((control configuration) with status with register) and hardware with (transaction manipulat$5) same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:36
S36	2	(test$4 validat$4) near5 ((control configuration) with status with register) and hardware with (transaction manipulat$5) with (instructions program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:38
S37	2	(test$4 validat$4) near5 ((control configuration) with status with register) and hardware with (transaction manipulat$5) with (instructions program code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:40
S38	4	(test$4 validat$4) near5 ((control configuration) with status with register) and hardware with (transaction manipulat$5) and hardware with (specific info information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:44
S44	17	(diagnos$4) with ((control configuration) with status with register) and hardware with (transaction manipulat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:51

S45	2	manipulating adj hardware near5 state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:52
S46	3	manipulating adj hardware with (control status configuration) near5 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:53
S47	112	(state near3 hardware) with (control status configuration) near5 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:54
S48	17	(code instructions program) with (state near3 hardware) with ((control status configuration) near5 register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:02
S49	69	verify$4 near5 ((control status configuration) near5 register) with (procedure operation performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:02
S50	4	verify$4 near5 ((control status configuration) near5 register) with (procedure operation performance) same (hardware specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:03
S51	2	"20040215440".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:29
S54	307	maintenance adj bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 10:33

EAST Search History

S55	19	maintenance adj bus and service adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 10:34
S56	0	diagnos$4 same maintenance adj bus same serive adj processor and (test$4 verify$4 validat$4 diagnos$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 10:34